

GOVERNMENT OF ANDHRA PRADESH  
A B S T R A C T

Public Services - Disciplinary action under rule 20 of APCS (CC&A) Rules, 1991 against Sri K.V.S.L.N. Raju, Superintending Engineer and 3 others, on the allegations of irregularities in irregular Promotion to Sri N. Satyanandam, as Superintendent O/o Superintending Engineer, IC Dowlaiswaram - Appointment of Sri L.Narayana Reddy, C.T.E as Inquiring Authority, in place of Sri D. Subbaiah, Chief Engineer (Projects) Ongole - Orders - Issued.

=====

IRRIGATION & CAD (SER.X-2) DEPARTMENT

G.O.Rt.No. 1167

Dated: 28-09-2010  
Read the following:

1. G.O.Rt.No.128, I & CAD (Ser.X.2) Department, 4.2.2010
2. From the Engineer In Chief Medium Irrigation Ir.No. ENC/Med/DCE-III/V1/4355/2009, dt. 22.2.2010.
3. G.O.Rt.No.269, I & CAD (Ser.X.2) Department, 8.3.2010.
4. From Sri D.Subbaiah, CE(P),Ongole, Lr.No.CE(P)/OGL/Inq./FDC-1/2010,dt.16-8-2010.

ORDER:

Whereas, an inquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officials of office of the Superintending Engineer, IC Dowlaiswaram.

1. Sri K.V.S.L.N. Raju, S.E
2. Sri P.G.Chandrasekharam, Dy.S.E.
3. Sri A. Panduranga Rao, N.T.P.A.(Retd.)
4. Sri P.V.S. Gopalachary Sr.Asst

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said Engineering officials .

3. In the reference 3<sup>rd</sup> read above, orders were issued appointing Sri D.Subbaiah, Chief Engineer (Projects), Ongole , as Inquiring Authority to inquire into the charges framed against the said officials of office of the Superintending Engineer, IC, Dowlaiswaram.

4. In the reference 4<sup>th</sup> read above , the Chief Engineer(Projects) Ongole has informed that, his retirement due on 31-8-2010 AN on attaining the age of superannuation and requested the Govt. to exempt him from the Inquiry authority from the this case.

5. Govt. after examining the matter and in exercise of the powers conferred by sub-rule (2) of rule-20 of the said rule, the disciplinary authority hereby appoints Sri L. Narayana Reddy, C.T.E. as Inquiry Authority in place of Sri D. Subbaiah, Chief Engineer (P) Ongole to inquire into the charges framed against the above officials of office of the Superintending Engineer, IC, Dowlaiswaram. He is directed to complete the Inquiry with in two months and submit the report to Govt.

//2//

6. Copies of reports, charge memos and Written Statements of Defense submitted by the Accused Officer are enclosed herewith to the Inquiring Authority. The Presenting Officer will produce the other original documents relating to the case before the Inquiring Authority. The Inquiring Authority is requested to conduct the enquiry and submit his report within two months.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

S.P.TUCKER  
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri L.Narayana Reddy, C.T.E.  
Sri D.Subbaiah, Chief Engineer (Projects), Ongole (Retd.)  
through the ENC(AW) Hyderabad. He is requested  
to furnish the material supplied so far, to the Inquiry Authority  
with regard to this inquiry.

Copy to :

Sri P. Gopala Krishna Reddy, Superintending Engineer,  
I.S.R.M.C Circle, Eluru. and Presenting Officer  
to present the case before the CTE and the inquiry authority.  
The individuals through the Engineer-In-Chief (Admn.Wing)  
I & CAD Department, Hyderabad  
The Engineer-In-Chief (Admn. Wing) ,  
Irrigation & CAD Dept., Hyderabad .  
The Engineer-In-Chief (Admn. Wing) ,  
Irrigation & CAD Dept., Hyderabad .  
Copy to the Secretary to VC., Hyderabad.  
SF/SC

//FORWARDED: : BY ORDER//

SECTION OFFICER